# EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 63 | (obtain$3 or collect$5) with archit$9 with allocat$5 with resource $3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 13:41 |
| L2 | 156 | (type$5 or kind$5) with architec$5 with (processor$3 or node$3 or cpu$3 or computer $3) with (convert$3 or transform$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 13:41 |
| S126 | 805 | allocat$5 with resource $5 with environment$3 | USPAT | OR | OFF | 2009/03/19 17:29 |
| S127 | 1 | ("6377991").PN. | USPAT | OR | OFF | 2009/03/19 17:30 |
| S128 | 1 | (obtain$3 or collect$5) with environment$3 with allocat$5 with resource$3 with request $5 | USPAT | OR | OFF | 2009/03/20 13:39 |
| S129 | 11 | (obtain$3 or collect$5) with environment$3 with allocat$5 with resource$3 with request $5 | US-PGPUB; USPAT | OR | OFF | 2009/03/20 20:20 |
| S130 | 0 | (obtain$3 or collect$5) with environment$3 with type$3 with allocat $5 with resource$3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 07:51 |
| S131 | 21 | (obtain$3 or collect$5) with type$3 with allocat $5 with resource$3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 07:51 |
| S132 | 0 | (obtain$3 or collect$5) with architech$3 with allocat$5 with resource $3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 08:34 |
| S133 | 2 | (obtain$3 or collect$5) with archit$9 with allocat$5 with resource $3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 08:35 |

| S134 | 52 | (obtain$3 or collect$5) with archit$9 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 08:36 |
| S135 | 2 | (obtain$3 or collect$5) with compati$9 with environment$5 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 08:39 |
| S136 | 95 | (obtain$3 or collect$5) with environment$5 with allocat$5 with resource$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 08:40 |
| S137 | 105 | (obtain$3 or collect$5) with environment$5 with allocat$5 same resource$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 09:04 |
| S138 | 173 | (obtain$3 or collect$5) with (type$3 or architec $6) with allocat$5 same resource$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 09:06 |
| S139 | 32 | (obtain$3 or collect$5) with (type$3 or architec $6) with allocat$5 same resource$3 and "718"/$. ccls. | US-PGPUB; USPAT | OR | OFF | 2009/03/21 10:46 |
| S140 | 30 | (obtain$3 or collect$5) with (type$3 or architec $6) with allocat$5 same resource$3 and "709"/$. ccls. | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:06 |
| S141 | 4 | (obtain$3 or collect$5) with (type$3 or architec $6) with allocat$5 same resource$3 .ab. | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:12 |
| S142 | 173 | (obtain$3 or collect$5) with (type$3 or architec $6) with allocat$5 same resource$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:13 |
| S143 | 393 | (obtain$3 or collect$5) with (type$3 or architec $6) same allocat$5 same resource$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:21 |
| S144 | 4355985 | (obtain$3 or collect$5) with env non$3 environment$3 with allocat$5 with resource $3 | USPAT | OR | OFF | 2009/03/21 14:58 |

| S145 | 0 | (obtain$3 or collect$5) with non$3 with environment$3 with allocat$5 with resource $3 | USPAT | OR | OFF | 2009/03/21 14:58 |
|------|------|------|------|------|------|------|
| S146 | 0 | (obtain$3 or collect$5) with non$3 with native $3 with environment$3 with allocat$5 | USPAT | OR | OFF | 2009/03/21 14:58 |
| S147 | 0 | (obtain$3 or collect$5) with non$3 with native $3 with environment$3 with allocat$5 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:59 |
| S148 | 3 | (obtain$3 or collect$5) with non$3 with native $3 with environment$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 14:59 |
| S149 | 7 | resourc$5 with non$3 with native$3 with environment$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 15:01 |
| S150 | 1106 | non$3 with native$3 with environment$3 | US-PGPUB; USPAT | OR | OFF | 2009/03/21 15:02 |
| S154 | 31 | grid$3 with resource$3 with manager$5 | USPAT | OR | OFF | 2009/03/23 12:47 |
| S156 | 200 | grid$3 with resource$3 with manager$5 | US-PGPUB; | OR | OFF | 2009/03/23 12:56 |
| S193 | 14 | architec$6 with allocat $5 with resource$3 same (heterog$5 or grid $5) | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:16 |
| S194 | 15 | architec$6 with processor$5 with resource$3 same (heterog$5 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:17 |
| S195 | 197 | architec$6 with processor$5 with (heterog$5 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:24 |
| S196 | 0 | architec$6 with processor$5 with (heterog$5 or grid$5) with allocat$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:26 |
| S197 | 0 | architec$6 with processor$5 with allocat $5 same (heterog$5 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:26 |
| S198 | 3 | architec$6 with processor$5 same allocat$5 same (heterog $5 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/06 18:26 |
| S205 | 12 | typ$5 with architec$5 with allocat$5 with processor$5 | USPAT | OR | OFF | 2009/11/06 20:08 |

| S206 | 2 | (obtain$3 or collect$5) with ( archite$9) with allocat$5 with resource $3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:15 |
| S207 | 2 | (obtain$3 or collect$5) with ( archite$9) with allocat$5 with resource $3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:17 |
| S208 | 56 | (obtain$3 or collect$5) with ( archite$9) with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:18 |
| S209 | 0 | type$5 with ( archite $9) with (processor$3 computer$3) with differn$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:23 |
| S210 | 0 | type$5 with ( archite $9) with (processor$3 computer$3) with diffir $5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:23 |
| S211 | 0 | type$5 with ( archite $9) with (processor$3 or computer$3) with diffir$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:23 |
| S212 | 13707 | type$5 with ( archite $9) with (processor$3 or computer$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:23 |
| S213 | 38 | type$5 with ( archite $9) with (processor$3 or computer$3) same (heterog$5 or grid$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:23 |
| S214 | 124 | type$5 with ( archite $9) with (heterog$5 or grid$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 07:54 |
| S215 | 0 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) with diffiren$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 08:40 |
| S216 | 14446 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 08:40 |
| S217 | 109 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) with (alloc$5 or assign$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 08:41 |

| S218 | 7 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) with (alloc$5 or assign$5) with (transf $5 or conver$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:28 |
|---|---|---|---|---|---|---|
| S219 | 5 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) same (alloc$5 or assign$5) with (transform$5 or conver $5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:29 |
| S220 | 14 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) same (alloc$5 or assign$5)same (transform$5 or conver $5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:31 |
| S221 | 58 | type$5 with ( archite $9) with (alloc$5 or assign$5) with (transf $5 or conver$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:32 |
| S222 | 42 | type$5 with ( archite $9) with (alloc$5 or assign$5) with (transform$5 or conver $5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:34 |
| S223 | 8 | type$5 with ( archite $9) with (processor$3 or computer$3 or nod $3) with (alloc$5 or assign$5) same (transf $5 or conver$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:35 |
| S224 | 760 | type$5 with (processor $3 or computer$3 or nod$3) with (alloc$5 or assign$5) same (transf $5 or conver$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:36 |
| S225 | 2 | type$5 with (processor $3 or computer$3 or nod$3) with (alloc$5 or assign$5) same (transf $5 or conver$5) same (heter$5 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:36 |
| S226 | 3 | (type$5 or kind$5) with architec$5 with resource $3 with (processor$3 or node$3 or cpu$3 or computer$3) with (convert$3 or transform $3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 09:38 |

| S227 | 127 | (type$5 or kind$5) with architec$5 with (processor$3 or node$3 or cpu$3 or computer $3) with (convert$3 or transform$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 10:52 |
|------|-----|----------------------------------------------------------------------------------------------------------------------------|-----------------|----|-----|-------------------|
| S228 | 0 | (type$5 or kind$5) with architec$5 with (processor$3 or node$3 or cpu$3 or computer $3) with (convert$3 or transform$3) with (obtain$5 or collect$5) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:01 |
| S229 | 33 | architec$5 with (processor$3 or node$3 or cpu$3 or computer $3) with (convert$3 or transform$3) with (request$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:03 |
| S230 | 40 | (obtain$3 or collec$5) with architec$5 with (computer$3 or nod$3 or cpu$3 or processor $3) with (transform$3 or convert$3) | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:06 |
| S231 | 34 | architec$5 with (computer$3 or nod$3 or cpu$3 or processor $3) with (transform$3 or convert$3) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:13 |
| S232 | 39 | (obtain$3 or collect$5) with type$3 with (computer$3 or nod$3 or cpu$3 or processor $3) with (transform$3 or convert$3) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:14 |
| S233 | 0 | (obtain$3 or collect$5) with architec$3 with (computer$3 or nod$3 or cpu$3 or processor $3) with (transform$3 or convert$3) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 11:17 |
| S236 | 6 | ("20020169945" \| "5925124" \| "6014735" \| "6154819" \| "6760832" \| "6917997").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/11/07 15:07 |

| S237 | 3964549 | (obtain$5 or collect$5) witharchite$5 with (processor$3 or node$3 or computer$5) with (determin$5 or identif $5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:27 |
|------|---------|---|---|---|---|---|
| S238 | 21 | (obtain$5 or collect$5) with archite$5 with (processor$3 or node$3 or computer$5) with (determin$5 or identif $5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:28 |
| S239 | 7 | (obtain$5 or collect$5) with archite$5 with (processor$3 or node$3 or computer$5) with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:33 |
| S240 | 34 | (obtain$5 or collect$5) with type$5 with (processor$3 or node$3 or computer$5) with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:36 |
| S241 | 0 | (obtain$5 or collect$5) with archite$5 with type $5 with (allocat$3 or assign$5) with request $5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:37 |
| S242 | 14 | (obtain$5 or collect$5) with archite$5 with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2009/11/07 15:37 |
| S395 | 16 | (obtain$3 or collect$5) with environment$3 with allocat$5 with resource$3 with request $5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:39 |
| S396 | 28 | (obtain$3 or collect$5) with type$3 with allocat $5 with resource$3 with request$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:39 |
| S397 | 62 | (obtain$3 or collect$5) with archit$9 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:40 |
| S398 | 2 | (obtain$3 or collect$5) with compati$9 with environment$5 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:40 |

| S399 | 2 | (obtain$3 or collect$5) with compati$9 with environment$5 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:41 |
|------|-----|--------------------------------------------------------------------------------------------|------------------|-----|------|-------------------|
| S400 | 62 | (obtain$3 or collect$5) with archit$9 with allocat$5 with resource $3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:41 |
| S401 | 17 | (obtain$5 or collect$5) with archite$5 with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:42 |
| S402 | 10 | resourc$5 with non$3 with native$3 with environment$3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:42 |
| S403 | 277 | grid$3 with resource$3 with manager$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:50 |
| S404 | 156 | allocat$3 with resource $3 with architec$6 with processor$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:50 |
| S405 | 3 | native$3 with archite$6 with allocat$3 | USPAT | OR | OFF | 2010/10/11 07:50 |
| S406 | 12 | archite$6 with allocat$3 with resource$3 with request$5 and (heteroge$6 or grid$5) | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:50 |
| S408 | 10 | resourc$5 with non$3 with native$3 with environment$3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:51 |
| S409 | 277 | grid$3 with resource$3 with manager$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 07:51 |
| S410 | 2 | (obtain$3 or collect$5) with environment$3 with resource$3 with heterogen$9 | USPAT | OR | OFF | 2010/10/11 07:52 |
| S411 | 18 | architec$6 with allocat $5 with resource$3 same (heterog$5 or grid $5) | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:12 |
| S412 | 1102 | allocat$5 with resource $5 with environment$3 | USPAT | OR | OFF | 2010/10/11 08:16 |
| S413 | 527 | (obtain$3 or collect$5) with (type$3 or architec $6) same allocat$5 same resource$3 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:16 |

| S414 | 25 | (obtain$5 or collect$5) with archite$5 with (processor$3 or node$3 or computer$5) with (determin$5 or identif$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:17 |
|------|------|------|------|------|------|------|
| S415 | 17 | (obtain$5 or collect$5) with archite$5 with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:37 |
| S416 | 147 | (type$5 or kind$5) with architec$5 with (processor$3 or node$3 or cpu$3 or computer$3) with (convert$3 or transform$3) | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:37 |
| S417 | 2696 | 718/104.CCLS. | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:39 |
| S418 | 9408 | 709/225-226.CCLS. | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:40 |
| S419 | 0 | S416 and S417 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:40 |
| S420 | 41 | S403 and S417 | US-PGPUB; USPAT | OR | OFF | 2010/10/11 08:40 |
| S421 | 915 | (different$3 ) near6 (os $1 (operating adj2 system$2) environment $3) same (request$3 command$3) with ( controller$5 manage $5 manage$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 08:42 |
| S422 | 21 | S417 and S421 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 08:42 |
| S423 | 36 | S418 and S421 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 08:42 |
| S424 | 17 | (obtain$5 or collect$5) with archite$5 with (allocat$3 or assign$5) with request$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 10:03 |
| S425 | 1 | ("7162617").PN. | USPAT | OR | OFF | 2010/10/11 10:06 |

| S426 | 311 | grid$3 with resource$3 with manager$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/11 10:44 |
|------|-----|------|------|----|-----|------|

**10/11/10 1:43:02 PM**
**C:\ Documents and Settings\ Ctruong3\ My Documents\ EAST\ Workspaces\ 10798108-1.wsp**